## Claims

1. A method for determining the ability of a network to spread information or physical traffic, said network including a number of network nodes interconnected by links, the method being

characterized in

10

20

- mapping the topology of a network,
- computing a value for link strength between the nodes,
- computing an Eigenvector Centrality index for all nodes, based on said link strength values
- identifying nodes which are local maxima of the Eigenvector Centrality index as centre nodes,
- grouping the nodes into regions surrounding each identified centre node,
- assigning a role to each node from its position in a region, as centre nodes, region member nodes, border nodes, bridge nodes, dangler nodes,
  - measuring the susceptibility of the network to spreading, based on the number of regions, their size, and how they are connected.
  - 2. A method as claimed in claim 1,

characterized in computing said link strength value for any pair of nodes by assigning a value of 0 if no link exists and 1 if any link exists.

**WO 2005/064850 PCT/NO2004/000404** 30

- 3. A method as claimed in claim 1, c h a r a c t e r i z e d i n computing said link strength value by counting the number of different types of bonds any pair of nodes uses in their interaction, using the number of bonds as a measure for link strength.
- 4. A method as claimed in claim 1, c h a r a c t e r i z e d i n computing said link strength value by measuring the traffic between any two nodes, using the measure of traffic as a measure for link strength.

10

- 5. A method as claimed in claim 1, c h a r a c t e r i z e d i n computing said link strength value by measuring the traffic between each pair of nodes for each different type of bond, dividing the amount of traffic in each type of bond with the total traffic for that type of bond, using the sum of the resulting fractions as a measure for link strength.
- 6. A method as claimed in any of the claims 1 5, c h a r a c t e r i z e d i n organizing said link strength values into a matrix, the adjacency matrix, and computing the Eigenvector Centrality index as the principal eigenvector of said adjacency matrix.
- 7. A method as claimed in claim 1, c h a r a c t e r i z e d i n assigning the role of region member nodes in a given region to all nodes that have a unique association to the centre node of said region.
- 8. A method as claimed in claim 7, c h a r a c t e r i z e d i n assigning the role of region member nodes in a given region to all nodes that are closer in number of hops to the centre node of said region than any other centre node.

WO 2005/064850 PCT/NO2004/000404

- 9. A method as claimed in claim 7, c h a r a c t e r i z e d i n assigning the role of region member nodes in a given region to all nodes for which the steepest ascent link path in the topology map terminates uniquely at the centre node of that region.
- 10. A method as claimed in claim 7, character is zed in assigning the role of region member nodes in a given region to all nodes that are associated to the centre node in said region, if it is closer (in number of hops) to the centre node in said region than to any other centre node, and if its distance from the centre node in said region is not greater than a predefined number of hops.
- 11. A method as claimed in claim 1,

  c h a r a c t e r i z e d i n assigning the role of

  border nodes to all nodes that have no unique association
  to any one centre node.
- 12. A method as claimed in claim 1,
  c h a r a c t e r i z e d i n assigning the role of
  bridge nodes to all border nodes which lie on at least one
  non-self-retracing link path connecting two centre nodes.
- 13. A method as claimed in claim 1,
   c h a r a c t e r i z e d i n assigning the role of
   dangler nodes to all border nodes, and lie on no non-self retracing link path connecting two centre nodes.
  - 14. Use of the method as claimed in any of the claims 1 13 for preventing the spreading of virus or harmful information in a network.
- 15. Use of the method as claimed in any of the claims 1-13 for improving the spreading of information in a network.

16. Use of the method as claimed in any of the claims 1 - 13 for planning the architecture of a network, in order to improve robustness and/or security and/or communication efficiency in said network.

32

PCT/NO2004/000404

WO 2005/064850

- 17. Use of the method as claimed in any of the claims 1 13 for planning the architecture of a power network in order to improve the robustness of said network.
  - 18. Use of the method as claimed in any of the claims 1 13 for planning a distribution network for goods.
- 19. Use of the method as claimed in any of the claims 1 13 for planning a transport network.